




PRODUCT PRICE SHEET




CONTROL SWITCHES

Unimax™ 10' Cable Lengths Normally Open (High Level or Pump Down) 		
PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7200	10' Unimax™ Narrow Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Bagged	\$44.78
7201	10' Unimax™ Narrow Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bagged	\$54.88
7202	10' Unimax™ Narrow Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Boxed	\$46.73
7203	10' Unimax™ Narrow Angle Control Switch, Normally Open, Cast Iron Cable Weight, Boxed	\$56.83
7204	10' Unimax™ Narrow Angle Control Switch, Normally Open, Bulk (Float Only)	\$43.92
7205	10' Unimax™ Narrow Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bulk	\$54.01

Unimax™ 10' Cable Lengths Normally Closed (Low Level or Pump Up) 		
PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7206	10' Unimax™ Narrow Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Bagged	\$44.78
7207	10' Unimax™ Narrow Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bagged	\$54.88
7208	10' Unimax™ Narrow Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Boxed	\$46.73
7209	10' Unimax™ Narrow Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Boxed	\$56.83
7210	10' Unimax™ Narrow Angle Control Switch, Normally Closed, Bulk (Float Only)	\$43.92
7211	10' Unimax™ Narrow Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bulk	\$54.01

Unimax™ 15' Cable Lengths Normally Open (High Level or Pump Down) 		
PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7005	15' Unimax™ Narrow Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Bagged	\$49.02
7024	15' Unimax™ Narrow Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bagged	\$59.10
7213	15' Unimax™ Narrow Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Boxed	\$50.96
7214	15' Unimax™ Narrow Angle Control Switch, Normally Open, Cast Iron Cable Weight, Boxed	\$61.06
7215	15' Unimax™ Narrow Angle Control Switch, Normally Open, Bulk (Float Only)	\$48.15
7216	15' Unimax™ Narrow Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bulk	\$58.24

Unimax™ 15' Cable Lengths Normally Closed (Low Level or Pump Up) 		
PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7021	15' Unimax™ Narrow Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Bagged	\$49.02
7027	15' Unimax™ Narrow Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bagged	\$59.10
7217	15' Unimax™ Narrow Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Boxed	\$50.96
7218	15' Unimax™ Narrow Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Boxed	\$61.06
7219	15' Unimax™ Narrow Angle Control Switch, Normally Closed, Bulk (Float Only)	\$48.15
7220	15' Unimax™ Narrow Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bulk	\$58.24

Control Switches | Unimax™ Narrow Angle

Unimax™ 20' Cable Lengths | Normally Open (High Level or Pump Down)

PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7017	20' Unimax™ Narrow Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Bagged	\$53.23
7025	20' Unimax™ Narrow Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bagged	\$63.37
7221	20' Unimax™ Narrow Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Boxed	\$55.18
7222	20' Unimax™ Narrow Angle Control Switch, Normally Open, Cast Iron Cable Weight, Boxed	\$65.31
7223	20' Unimax™ Narrow Angle Control Switch, Normally Open, Bulk (Float Only)	\$52.37
7224	20' Unimax™ Narrow Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bulk	\$62.50

Unimax™ 20' Cable Lengths | Normally Closed (Low Level or Pump Up)

PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7022	20' Unimax™ Narrow Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Bagged	\$53.23
7028	20' Unimax™ Narrow Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bagged	\$63.37
7225	20' Unimax™ Narrow Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Boxed	\$55.18
7226	20' Unimax™ Narrow Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Boxed	\$65.31
7227	20' Unimax™ Narrow Angle Control Switch, Normally Closed, Bulk (Float Only)	\$52.37
7228	20' Unimax™ Narrow Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bulk	\$62.50

Unimax™ 25' Cable Lengths | Normally Open (High Level or Pump Down)

PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7273	25' Unimax™ Narrow Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Bagged	\$57.56
7274	25' Unimax™ Narrow Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bagged	\$67.69
7275	25' Unimax™ Narrow Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Boxed	\$58.09
7276	25' Unimax™ Narrow Angle Control Switch, Normally Open, Cast Iron Cable Weight, Boxed	\$69.64
7277	25' Unimax™ Narrow Angle Control Switch, Normally Open, Bulk (Float Only)	\$56.69
7278	25' Unimax™ Narrow Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bulk	\$66.83

Unimax™ 25' Cable Lengths | Normally Closed (Low Level or Pump Up)

PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7279	25' Unimax™ Narrow Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Bagged	\$57.56
7280	25' Unimax™ Narrow Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bagged	\$67.69
7281	25' Unimax™ Narrow Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Boxed	\$58.09
7282	25' Unimax™ Narrow Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Boxed	\$69.64
7283	25' Unimax™ Narrow Angle Control Switch, Normally Closed, Bulk (Float Only)	\$56.69
7284	25' Unimax™ Narrow Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bulk	\$66.83

Unimax™ 30' Cable Lengths | Normally Open (High Level or Pump Down)

PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7020	30' Unimax™ Narrow Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Bagged	\$62.44
7026	30' Unimax™ Narrow Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bagged	\$72.49
7229	30' Unimax™ Narrow Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Boxed	\$64.38
7230	30' Unimax™ Narrow Angle Control Switch, Normally Open, Cast Iron Cable Weight, Boxed	\$74.44
7231	30' Unimax™ Narrow Angle Control Switch, Normally Open, Bulk (Float Only)	\$61.57
7232	30' Unimax™ Narrow Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bulk	\$71.64

Unimax™ 30' Cable Lengths | Normally Closed (Low Level or Pump Up)

PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7023	30' Unimax™ Narrow Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Bagged	\$62.44
7029	30' Unimax™ Narrow Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bagged	\$72.49
7233	30' Unimax™ Narrow Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Boxed	\$64.38
7234	30' Unimax™ Narrow Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Boxed	\$74.44
7235	30' Unimax™ Narrow Angle Control Switch, Normally Closed, Bulk (Float Only)	\$61.57
7236	30' Unimax™ Narrow Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bulk	\$71.64

Unimax™ 50' Cable Lengths | Normally Open (High Level or Pump Down)

PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7237	50' Unimax™ Narrow Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Bagged	\$79.74
7238	50' Unimax™ Narrow Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bagged	\$89.81
7239	50' Unimax™ Narrow Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Boxed	\$81.68
7240	50' Unimax™ Narrow Angle Control Switch, Normally Open, Cast Iron Cable Weight, Boxed	\$91.74
7241	50' Unimax™ Narrow Angle Control Switch, Normally Open, Bulk (Float Only)	\$78.88
7242	50' Unimax™ Narrow Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bulk	\$88.94

Unimax™ 50' Cable Lengths | Normally Closed (Low Level or Pump Up)

PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7243	50' Unimax™ Narrow Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Bagged	\$79.74
7244	50' Unimax™ Narrow Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bagged	\$89.81
7245	50' Unimax™ Narrow Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Boxed	\$81.68
7246	50' Unimax™ Narrow Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Boxed	\$91.74
7247	50' Unimax™ Narrow Angle Control Switch, Normally Closed, Bulk (Float Only)	\$78.88
7248	50' Unimax™ Narrow Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bulk	\$88.94

Control Switches | Unimax™ Narrow Angle

Unimax™ 75' Cable Lengths | Normally Open (High Level or Pump Down)

PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7249	75' Unimax™ Narrow Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Bagged	\$101.37
7250	75' Unimax™ Narrow Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bagged	\$111.43
7251	75' Unimax™ Narrow Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Boxed	\$103.32
7252	75' Unimax™ Narrow Angle Control Switch, Normally Open, Cast Iron Cable Weight, Boxed	\$113.37
7253	75' Unimax™ Narrow Angle Control Switch, Normally Open, Bulk (Float Only)	\$100.51
7254	75' Unimax™ Narrow Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bulk	\$110.56

Unimax™ 75' Cable Lengths | Normally Closed (Low Level or Pump Up)

PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7255	75' Unimax™ Narrow Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Bagged	\$101.37
7256	75' Unimax™ Narrow Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bagged	\$111.43
7257	75' Unimax™ Narrow Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Boxed	\$103.32
7258	75' Unimax™ Narrow Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Boxed	\$113.37
7259	75' Unimax™ Narrow Angle Control Switch, Normally Closed, Bulk (Float Only)	\$100.51
7260	75' Unimax™ Narrow Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bulk	\$110.56

Unimax™ 100' Cable Lengths | Normally Open (High Level or Pump Down)

PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7261	100' Unimax™ Narrow Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Bagged	\$122.99
7262	100' Unimax™ Narrow Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bagged	\$133.06
7263	100' Unimax™ Narrow Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Boxed	\$124.95
7264	100' Unimax™ Narrow Angle Control Switch, Normally Open, Cast Iron Cable Weight, Boxed	\$135.00
7265	100' Unimax™ Narrow Angle Control Switch, Normally Open, Bulk (Float Only)	\$122.13
7266	100' Unimax™ Narrow Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bulk	\$132.19

Unimax™ 100' Cable Lengths | Normally Closed (Low Level or Pump Up)

PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7267	100' Unimax™ Narrow Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Bagged	\$122.99
7268	100' Unimax™ Narrow Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bagged	\$133.06
7269	100' Unimax™ Narrow Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Boxed	\$124.95
7270	100' Unimax™ Narrow Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Boxed	\$135.00
7271	100' Unimax™ Narrow Angle Control Switch, Normally Closed, Bulk (Float Only)	\$122.13
7272	100' Unimax™ Narrow Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bulk	\$132.19

Unimax™ 10' Cable Lengths | Normally Open (High Level or Pump Down)

PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7440	10' Unimax™ Wide Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Bagged	\$43.22
7441	10' Unimax™ Wide Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bagged	\$52.95
7442	10' Unimax™ Wide Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Boxed	\$45.09
7443	10' Unimax™ Wide Angle Control Switch, Normally Open, Cast Iron Cable Weight, Boxed	\$54.84
7444	10' Unimax™ Wide Angle Control Switch, Normally Open, Bulk (Float Only)	\$42.37
7445	10' Unimax™ Wide Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bulk	\$52.12

Unimax™ 10' Cable Lengths | Normally Closed (Low Level or Pump Up)

PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7446	10' Unimax™ Wide Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Bagged	\$43.22
7447	10' Unimax™ Wide Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bagged	\$52.95
7448	10' Unimax™ Wide Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Boxed	\$45.09
7449	10' Unimax™ Wide Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Boxed	\$54.84
7450	10' Unimax™ Wide Angle Control Switch, Normally Closed, Bulk (Float Only)	\$42.37
7451	10' Unimax™ Wide Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bulk	\$52.12

Unimax™ 15' Cable Lengths | Normally Open (High Level or Pump Down)

PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7452	15' Unimax™ Wide Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Bagged	\$47.30
7453	15' Unimax™ Wide Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bagged	\$57.03
7454	15' Unimax™ Wide Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Boxed	\$49.17
7455	15' Unimax™ Wide Angle Control Switch, Normally Open, Cast Iron Cable Weight, Boxed	\$58.93
7456	15' Unimax™ Wide Angle Control Switch, Normally Open, Bulk (Float Only)	\$46.46
7457	15' Unimax™ Wide Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bulk	\$56.20

Unimax™ 15' Cable Lengths | Normally Closed (Low Level or Pump Up)

PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7458	15' Unimax™ Wide Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Bagged	\$47.30
7459	15' Unimax™ Wide Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bagged	\$57.03
7460	15' Unimax™ Wide Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Boxed	\$49.17
7461	15' Unimax™ Wide Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Boxed	\$58.93
7462	15' Unimax™ Wide Angle Control Switch, Normally Closed, Bulk (Float Only)	\$46.46
7463	15' Unimax™ Wide Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bulk	\$56.20

Control Switches | Unimax™ Wide Angle

Unimax™ 20' Cable Lengths | Normally Open (High Level or Pump Down)

PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7464	20' Unimax™ Wide Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Bagged	\$51.38
7465	20' Unimax™ Wide Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bagged	\$61.15
7466	20' Unimax™ Wide Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Boxed	\$53.24
7467	20' Unimax™ Wide Angle Control Switch, Normally Open, Cast Iron Cable Weight, Boxed	\$63.02
7468	20' Unimax™ Wide Angle Control Switch, Normally Open, Bulk (Float Only)	\$50.53
7469	20' Unimax™ Wide Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bulk	\$60.32

Unimax™ 20' Cable Lengths | Normally Closed (Low Level or Pump Up)

PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7470	20' Unimax™ Wide Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Bagged	\$51.38
7471	20' Unimax™ Wide Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bagged	\$61.15
7472	20' Unimax™ Wide Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Boxed	\$53.24
7473	20' Unimax™ Wide Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Boxed	\$63.02
7474	20' Unimax™ Wide Angle Control Switch, Normally Closed, Bulk (Float Only)	\$50.53
7475	20' Unimax™ Wide Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bulk	\$60.32

Unimax™ 25' Cable Lengths | Normally Open (High Level or Pump Down)

PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7476	25' Unimax™ Wide Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Bagged	\$55.55
7477	25' Unimax™ Wide Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bagged	\$65.33
7478	25' Unimax™ Wide Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Boxed	\$56.05
7479	25' Unimax™ Wide Angle Control Switch, Normally Open, Cast Iron Cable Weight, Boxed	\$67.20
7480	25' Unimax™ Wide Angle Control Switch, Normally Open, Bulk (Float Only)	\$54.71
7481	25' Unimax™ Wide Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bulk	\$64.49

Unimax™ 25' Cable Lengths | Normally Closed (Low Level or Pump Up)

PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7482	25' Unimax™ Wide Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Bagged	\$55.55
7483	25' Unimax™ Wide Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bagged	\$65.33
7484	25' Unimax™ Wide Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Boxed	\$56.05
7485	25' Unimax™ Wide Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Boxed	\$67.20
7486	25' Unimax™ Wide Angle Control Switch, Normally Closed, Bulk (Float Only)	\$54.71
7487	25' Unimax™ Wide Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bulk	\$64.49

Unimax™ 30' Cable Lengths | Normally Open (High Level or Pump Down)



PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7488	30' Unimax™ Wide Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Bagged	\$60.26
7489	30' Unimax™ Wide Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bagged	\$69.96
7490	30' Unimax™ Wide Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Boxed	\$62.13
7491	30' Unimax™ Wide Angle Control Switch, Normally Open, Cast Iron Cable Weight, Boxed	\$71.83
7492	30' Unimax™ Wide Angle Control Switch, Normally Open, Bulk (Float Only)	\$59.42
7493	30' Unimax™ Wide Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bulk	\$69.13

Unimax™ 30' Cable Lengths | Normally Closed (Low Level or Pump Up)



PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7494	30' Unimax™ Wide Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Bagged	\$60.26
7495	30' Unimax™ Wide Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bagged	\$69.96
7496	30' Unimax™ Wide Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Boxed	\$62.13
7497	30' Unimax™ Wide Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Boxed	\$71.83
7498	30' Unimax™ Wide Angle Control Switch, Normally Closed, Bulk (Float Only)	\$59.42
7499	30' Unimax™ Wide Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bulk	\$69.13

Unimax™ 50' Cable Lengths | Normally Open (High Level or Pump Down)



PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7500	50' Unimax™ Wide Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Bagged	\$76.95
7501	50' Unimax™ Wide Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bagged	\$86.65
7502	50' Unimax™ Wide Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Boxed	\$78.83
7503	50' Unimax™ Wide Angle Control Switch, Normally Open, Cast Iron Cable Weight, Boxed	\$88.54
7504	50' Unimax™ Wide Angle Control Switch, Normally Open, Bulk (Float Only)	\$76.12
7505	50' Unimax™ Wide Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bulk	\$85.82

Unimax™ 50' Cable Lengths | Normally Closed (Low Level or Pump Up)



PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7506	50' Unimax™ Wide Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Bagged	\$76.95
7507	50' Unimax™ Wide Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bagged	\$86.65
7508	50' Unimax™ Wide Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Boxed	\$78.83
7509	50' Unimax™ Wide Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Boxed	\$88.54
7510	50' Unimax™ Wide Angle Control Switch, Normally Closed, Bulk (Float Only)	\$76.12
7511	50' Unimax™ Wide Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bulk	\$85.82

Control Switches | Unimax™ Wide Angle

Unimax™ 75' Cable Lengths | Normally Open (High Level or Pump Down)

PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7512	75' Unimax™ Wide Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Bagged	\$97.83
7513	75' Unimax™ Wide Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bagged	\$107.53
7514	75' Unimax™ Wide Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Boxed	\$99.69
7515	75' Unimax™ Wide Angle Control Switch, Normally Open, Cast Iron Cable Weight, Boxed	\$109.41
7516	75' Unimax™ Wide Angle Control Switch, Normally Open, Bulk (Float Only)	\$97.00
7517	75' Unimax™ Wide Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bulk	\$106.69

Unimax™ 75' Cable Lengths | Normally Closed (Low Level or Pump Up)

PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7518	75' Unimax™ Wide Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Bagged	\$97.83
7519	75' Unimax™ Wide Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bagged	\$107.53
7520	75' Unimax™ Wide Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Boxed	\$99.69
7521	75' Unimax™ Wide Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Boxed	\$109.41
7522	75' Unimax™ Wide Angle Control Switch, Normally Closed, Bulk (Float Only)	\$97.00
7523	75' Unimax™ Wide Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bulk	\$106.69

Unimax™ 100' Cable Lengths | Normally Open (High Level or Pump Down)

PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7524	100' Unimax™ Wide Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Bagged	\$123.76
7525	100' Unimax™ Wide Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bagged	\$132.59
7526	100' Unimax™ Wide Angle Control Switch, Normally Open, Stainless Steel Pipe Clamp, Boxed	\$125.98
7527	100' Unimax™ Wide Angle Control Switch, Normally Open, Cast Iron Cable Weight, Boxed	\$134.81
7528	100' Unimax™ Wide Angle Control Switch, Normally Open, Bulk (Float Only)	\$122.78
7529	100' Unimax™ Wide Angle Control Switch, Normally Open, Cast Iron Cable Weight, Bulk	\$132.33

Unimax™ 100' Cable Lengths | Normally Closed (Low Level or Pump Up)

PART NUMBER	DESCRIPTION (120/230VAC, 4 Amp)	LIST PRICE
7530	100' Unimax™ Wide Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Bagged	\$123.76
7531	100' Unimax™ Wide Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bagged	\$132.59
7532	100' Unimax™ Wide Angle Control Switch, Normally Closed, Stainless Steel Pipe Clamp, Boxed	\$125.98
7533	100' Unimax™ Wide Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Boxed	\$134.81
7534	100' Unimax™ Wide Angle Control Switch, Normally Closed, Bulk (Float Only)	\$122.78
7535	100' Unimax™ Wide Angle Control Switch, Normally Closed, Cast Iron Cable Weight, Bulk	\$132.33

Altra™ Control Switch

120/240VAC, Bare Leads, 5 Amps (standard) and 5 Amps or 1mA, 4VDC minimum (gold) | Operating Temp: 0 - 140° F
Choose from the list of components below to customize an Altra™ Control Switch for your specific application.

MODEL BOX 1	HOUSING MATERIAL and CABLE	OPTION CHOICES	SPECIAL INSTRUCTIONS	MODEL # BOX 1
	Altra™ Float Switch	A	Base Model in Model Box 1 to the right.	A
MODEL BOX 2	VOLTAGE / AMPERAGE RATING	OPTION CHOICES	SPECIAL INSTRUCTIONS	MODEL # BOX 2
	120/240VAC, 5 Amps (standard)	5	Select Voltage/Amperage Rating and indicate selection in Model Box 2 to the right.	
	120/240VAC, 5 Amps or 1mA, 4VDC minimum (gold)	5G		
MODEL BOX 3	ACTIVATION ANGLE (range)	OPTION CHOICES	SPECIAL INSTRUCTIONS	MODEL # BOX 3
	Narrow Angle (20° total switching differential)	N	Select Activation Angle (range) and indicate selection in Model Box 3 to the right.	
	Medium Angle (60° total switching differential)	M		
	Wide Angle (90° total switching differential)	W		
MODEL BOX 4	ACTIVATION TYPE	OPTION CHOICES	SPECIAL INSTRUCTIONS	MODEL # BOX 4
	High Level, Normally Open (NO)	H	Select Activation Type and indicate selection in Model Box 4 to the right.	
	Low Level, Normally Closed (NC)	L		
	Both, Normally Open and Normally Closed (NONC)	B		
MODEL BOX 5	MOUNTING METHOD (float attachment)	OPTION CHOICES	SPECIAL INSTRUCTIONS	MODEL # BOX 5
	Pipe Clamp, Stainless Steel	PS	Select Mounting Method (float attachment) and indicate selection in Model Box 5 to the right. (* If selecting "XX", you must choose bulk packaging method "BLK" in Model Box 7 below.	
	Pipe Clamp, RubberLox™	PR		
	Cable Weight, Cast Iron	WC		
	Cable Weight, Plastic	WP		
	No Mounting Method (float only; see special instructions)	XX*		
MODEL BOX 6	CABLE LENGTH (feet)	OPTION CHOICES	SPECIAL INSTRUCTIONS	MODEL # BOX 6
	10' Cable Length	10	Select Cable Length and indicate selection in Model Box 6 to the right. Standard lengths are listed, custom lengths available by calling the factory (218.483.3034).	
	15' Cable Length	15		
	20' Cable Length	20		
	25' Cable Length	25		
	30' Cable Length	30		
	50' Cable Length	50		
	75' Cable Length	75		
	100' Cable Length	100		
MODEL BOX 7	PACKAGING METHOD	OPTION CHOICES	SPECIAL INSTRUCTIONS	MODEL # BOX 7
	Bagged (individual packaging)	BAG	Select Packaging Method and indicate selection in Model Box 7 to the right. (* If No Mounting Method "XX" is selected, you must choose bulk packaging method "BLK" in Model Box 7.	
	Boxed (individual packaging)	BOX		
	Bulk (bulk packaging; when "XX" mounting method is selected)	BLK		

Enter the Model Numbers from Box 1 through Box 7 where indicated below, this is your Altra™ Control Switch Model Number. Please call Alderon Industries at 218.483.3034 with the model number for a part number with pricing or visit alderonind.com to enter the model number for a part number with pricing.

Customized Altra™ Control Switch Model Number:

MODEL # BOX 1	MODEL # BOX 2	MODEL # BOX 3	MODEL # BOX 4	MODEL # BOX 5	MODEL # BOX 6	MODEL # BOX 7
---------------	---------------	---------------	---------------	---------------	---------------	---------------

Total List Cost:

CALL FOR PRICING
218.483.3034

Hytra™ High Temp Control Switch

120/240VAC, Bare Leads, 5 Amps (standard) and 5 Amps or 1mA, 4VDC minimum (gold) | Operating Temp: 0 - 200° F
Choose from the list of components below to customize a Hytra™ Control Switch for your specific application.

MODEL BOX	HOUSING MATERIAL and CABLE	OPTION CHOICES	SPECIAL INSTRUCTIONS	MODEL # BOX
MODEL BOX 1	Hytra™ High Temperature Float Switch	H	Base Model in Model Box 1 to the right.	H
MODEL BOX 2	VOLTAGE / AMPERAGE RATING	OPTION CHOICES	SPECIAL INSTRUCTIONS	MODEL # BOX 2
	120/240VAC, 5 Amps (standard)	5	Select Voltage/Amperage Rating and indicate selection in Model Box 2 to the right.	
120/240VAC, 5 Amps or 1mA, 4VDC minimum (gold)	5G			
MODEL BOX 3	ACTIVATION ANGLE (range)	OPTION CHOICES	SPECIAL INSTRUCTIONS	MODEL # BOX 3
	Narrow Angle (20° total switching differential)	N	Select Activation Angle (range) and indicate selection in Model Box 3 to the right.	
	Medium Angle (60° total switching differential)	M		
Wide Angle (90° total switching differential)	W			
MODEL BOX 4	ACTIVATION TYPE	OPTION CHOICES	SPECIAL INSTRUCTIONS	MODEL # BOX 4
	High Level, Normally Open (NO)	H	Select Activation Type and indicate selection in Model Box 4 to the right.	
Low Level, Normally Closed (NC)	L			
MODEL BOX 5	MOUNTING METHOD (float attachment)	OPTION CHOICES	SPECIAL INSTRUCTIONS	MODEL # BOX 5
	Pipe Clamp, Stainless Steel	PS	Select Mounting Method (float attachment) and indicate selection in Model Box 5 to the right. (* If selecting "XX", you must choose bulk packaging method "BLK" in Model Box 7 below.	
	Pipe Clamp, RubberLox™	PR		
	Cable Weight, Cast Iron	WC		
	Cable Weight, Plastic	WP		
No Mounting Method (float only; see special instructions)	XX*			
MODEL BOX 6	CABLE LENGTH (feet)	OPTION CHOICES	SPECIAL INSTRUCTIONS	MODEL # BOX 6
	10' Cable Length	10	Select Cable Length and indicate selection in Model Box 6 to the right. Standard lengths are listed, custom lengths available by calling the factory (218.483.3034).	
	15' Cable Length	15		
	20' Cable Length	20		
	25' Cable Length	25		
	30' Cable Length	30		
	50' Cable Length	50		
	75' Cable Length	75		
100' Cable Length	100			
MODEL BOX 7	PACKAGING METHOD	OPTION CHOICES	SPECIAL INSTRUCTIONS	MODEL # BOX 7
	Bagged (individual packaging)	BAG	Select Packaging Method and indicate selection in Model Box 7 to the right. (* If No Mounting Method "XX" is selected, you must choose bulk packaging method "BLK" in Model Box.	
	Boxed (individual packaging)	BOX		
Bulk (bulk packaging; when "XX" mounting method is selected)	BLK			

Enter the Model Numbers from Box 1 through Box 7 where indicated below, this is your Hytra™ Control Switch Model Number. Please call Alderon Industries at 218.483.3034 with the model number for a part number with pricing or visit alderonind.com to enter the model number for a part number with pricing.

Customized Hytra™ Control Switch Model Number:

MODEL # BOX 1	MODEL # BOX 2	MODEL # BOX 3	MODEL # BOX 4	MODEL # BOX 5	MODEL # BOX 6	MODEL # BOX 7
---------------	---------------	---------------	---------------	---------------	---------------	---------------

Total List Cost:

CALL FOR PRICING
218.483.3034

Pipe Clamps, Cable Weights, and Float Brackets

PART NUMBER	DESCRIPTION	LIST PRICE
2000556	Stainless Steel Pipe Clamp for Float Switch, 3-Inch Clamp	\$7.14
2000557	Stainless Steel Pipe Clamp for Float Switch, 1-Inch Clamp	\$6.37
2000562	Stainless Steel Pipe Clamp for Float Switch, 3-Inch Clamp, Contractor Pack (Qty 12)	\$79.35
2000563	Stainless Steel Pipe Clamp for Float Switch, 1-Inch Clamp, Contractor Pack (Qty 12)	\$70.74
8091	RubberLox™ Pipe Clamp	\$7.14
8092	RubberLox™ Pipe Clamp, Contractor Pack (Qty 12)	\$40.30
7039	Cast Iron Cable Weight	\$12.80
2000275	Plastic Cable Weight	\$12.80
7920	Float Bracket, 3-Hole	\$71.96
7902	Float Bracket, 4-Hole	\$95.71
7910	Float Bracket, 6-Hole	\$111.18

TERMS & CONDITIONS

PURCHASE ORDERS

Preferred via email: orders@alderonind.com

If e-mail is not available, call factory: 218.483.3034

SHIPPING INFORMATION

MINIMUMS: There are no minimums on quantity of products ordered.

FREIGHT: Standard catalog products in the United States require a \$1,500.00 minimum order for freight allowed. Most standard catalog products start with the number 1, 2, 3, 4, 7, 8, or the letters A, D, E, J, M, P, S, and W. Custom controls DO NOT have a freight allowed policy.

FREIGHT COMPANIES:

UPS® - Most Alderon products weighing under 80 lb are sent through UPS®.

Other Carriers - All major delivery companies serve Alderon Industries and can be used at your request. Contact our shipping department to request more information via email: shipping@alderonind.com

FREIGHT CLAIMS: Contact the parcel or freight company for claims on freight damaged in transit.

LEAD TIME: Standard catalog products starting with the number 1, 2, 3, 4, 7, 8, or the letters A, D, E, J, M, P, S, and W are generally shipped within 72 hours of receiving an order. Larger orders may take longer. If your order needs to be expedited, please call 218.483.3034 and we will do everything we can to accommodate your request. Custom controls take longer than standard products with lead times depending on component requirements and availability.

STANDARD SHIPPING: All items will ship UPS® Ground as standard procedure.

EXPEDITED SHIPPING: Indicate on purchase order. Place order before 2:00pm (Central Time) for expedited shipment of items in stock.

QUESTIONS: Additional shipping related information can be obtained by calling the main office of Alderon Industries.

PRODUCT RETURN

RETURNABLE PRODUCT: Standard products that start with the number 1, 2, 3, 4, 7, 8, or the letters A, D, E, J, M, P, S, and W can be returned within one year of manufacture date. Custom controls, product that has been used, and product dated one year or more from date of manufacture are not returnable.

RETURN GOODS AUTHORIZATION (RGA) NUMBER: Call the main office at 218.483.3034 to be assigned an RGA number. All products to be returned need an RGA number prior to the return of the defective product or part.

ADDRESS: Please send returned goods with RGA number included to: Alderon Industries, Attn: Returns, 151 16th Street South, Hawley, MN, 56549.

STOCKING FEE: A 15% restocking fee applies to all approved returned goods that are not a warranty replacement (contact parcel or freight company for claims on freight damaged in transit).

THREE-YEAR LIMITED WARRANTY*

LIMITED WARRANTY: Subject to the conditions of the Three-Year Limited Warranty, Alderon Industries, LLC ("Alderon") warrants to the original user or consumer of an Alderon product (the "Product") that, for a period of three (3) years from the date of manufacture, the Product will be free from defects in materials and workmanship under normal use and service, and provided the Product is installed, operated, and maintained in accordance with instructions supplied by Alderon.

WARRANTY EXCLUSIONS: Notwithstanding anything to the contrary, this Limited Warranty does not cover: 1) Alderon custom control units, see One-Year Limited Warranty - Custom Controls. 2) Damage, defects, or malfunctions resulting from (a) failure to properly install, operate, or maintain the Product and applicable local codes, ordinances, and good trade practices; (b) normal wear and tear; (c) abuse, accident, or negligence; (d) de-installation and movement of the Product from its original installation location; (e) repair and/or modification of the Product without prior authorization from Alderon; (f) use of the Product for purposes other than for what it was designed and manufactured; or (g) conditions beyond the control of Alderon, including lightning and freight damages (hidden or visible). 3) Cost of field labor or other charges incurred by you in removing and/or re-affixing the Product or any part or component thereof. 4) Transportation costs.

CLAIM PROCEDURE: To make a claim regarding breach of warranty, (a) the claim must be received by Alderon before the expiration of the warranty period; and (b) the defective Product, or part thereof, must be returned to a designated Alderon location, FREIGHT PREPAID, together with proof of purchase. A return goods authorization must be received prior to the return of the defective Product or part.

EXCLUSIVE REMEDY: In the event of a warranty claim that Alderon determines to be covered by this Limited Warranty, Alderon will, at its option, repair or replace the Product.

LIABILITY LIMITATION: In no event will Alderon's liability to you or any person or entity exceed the price paid to Alderon for the defective Product.

(* see website for full Three-Year Limited Warranty information)